

## Final Health Monitoring Report

| Facility                                 | Area             |               | Species      |                    |
|------------------------------------------|------------------|---------------|--------------|--------------------|
| KOATECH                                  | B101 B6D2F1/Hsd  |               | Mouse        |                    |
| Viruses                                  | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Ectromelia virus                         | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Hantaan                                  | 15 Jan 24        | 0/2           | Bead         | 0/4                |
| K virus                                  | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Lactate dehydrogenase elevating virus    | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Lymphocytic choriomeningitis virus       | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Minute virus of mice                     | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse adenovirus type 1 (MAd FL)         | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse adenovirus type 2 (MAd K87)        | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse cytomegalovirus                    | 15 Jan 24        | 0/2           | Bead         | 0/4                |
| Mouse hepatitis virus                    | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse norovirus                          | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse parvovirus                         | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse polyoma virus                      | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Mouse rotavirus (EDIM)                   | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse thymic virus                       | 15 Jan 24        | 0/2           | IFA          | 0/4                |
| Pneumonia virus of mice                  | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Reovirus type 3 (Reo 3)                  | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Sendai Virus                             | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Theiler's murine encephalomyelitis virus | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Bacteria, Mycoplasma and Fungi           | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Beta-haemolytic Streptococci Group A     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group B     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group C     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group G     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Bordetella bronchiseptica                | 15 Jan 24        | 0/2           | qPCR         | 0/4                |
| CAR Bacillus                             | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Citrobacter rodentium                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Clostridium piliforme                    | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Corynebacterium kutscheri                | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Dermatophytes                            | 15 Jan 24        | 0/2           | Culture      | 0/4                |
| Helicobacter bilis                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Helicobacter hepaticus                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Klebsiella oxytoca                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Klebsiella pneumoniae                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Mycoplasma pulmonis                      | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Pasteurella multocida                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Pneumocystis murina                      | 15 Jan 24        | 0/2           | qPCR         | 0/4                |
| Pseudomonas aeruginosa                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

## Final Health Monitoring Report

| Bacteria, Mycoplasma and Fungi      | Latest Test Date | Latest Result | Test Methods | Historical Results |
|-------------------------------------|------------------|---------------|--------------|--------------------|
| Rodentibacter heylii                | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Rodentibacter heylii/pneumotropicus | 15 Jan 24        | 0/2           | qPCR         | 0/10               |
| Rodentibacter pneumotropicus        | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Salmonella spp                      | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Streptobacillus moniliformis        | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Streptococcus pneumoniae            | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Parasites                           | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Encephalitozoon cuniculi            | 15 Apr 24        | 0/2           | ELISA        | 0/12               |
| Ectoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Myobia/Radfordia                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Myocoptes musculus                  | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Endoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Aspiculuris tetraptera              | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Chilomastix spp                     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Entamoeba muris                     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Giardia muris                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Spironucleus muris                  | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Syphacia muris                      | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Syphacia obvelata                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Trichomonas muris                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

## Final Health Monitoring Report

| Facility                                 | Area             |               | Species      |                    |
|------------------------------------------|------------------|---------------|--------------|--------------------|
| KOATECH                                  | B102 C57BL/6NHsd |               | Mouse        |                    |
| Viruses                                  | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Ectromelia virus                         | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Hantaan                                  | 15 Jan 24        | 0/2           | Bead         | 0/4                |
| K virus                                  | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Lactate dehydrogenase elevating virus    | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Lymphocytic choriomeningitis virus       | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Minute virus of mice                     | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse adenovirus type 1 (MAd FL)         | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse adenovirus type 2 (MAd K87)        | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse cytomegalovirus                    | 15 Jan 24        | 0/2           | Bead         | 0/4                |
| Mouse hepatitis virus                    | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse norovirus                          | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse parvovirus                         | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse polyoma virus                      | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Mouse rotavirus (EDIM)                   | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse thymic virus                       | 15 Jan 24        | 0/2           | IFA          | 0/4                |
| Pneumonia virus of mice                  | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Reovirus type 3 (Reo 3)                  | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Sendai Virus                             | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Theiler's murine encephalomyelitis virus | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Bacteria, Mycoplasma and Fungi           | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Beta-haemolytic Streptococci Group A     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group B     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group C     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group G     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Bordetella bronchiseptica                | 15 Jan 24        | 0/2           | qPCR         | 0/4                |
| CAR Bacillus                             | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Citrobacter rodentium                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Clostridium piliforme                    | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Corynebacterium kutscheri                | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Dermatophytes                            | 15 Jan 24        | 0/2           | Culture      | 0/4                |
| Helicobacter bilis                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Helicobacter hepaticus                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Klebsiella oxytoca                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Klebsiella pneumoniae                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Mycoplasma pulmonis                      | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Pasteurella multocida                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Pneumocystis murina                      | 15 Jan 24        | 0/2           | qPCR         | 0/4                |
| Pseudomonas aeruginosa                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

## Final Health Monitoring Report

| Bacteria, Mycoplasma and Fungi      | Latest Test Date | Latest Result | Test Methods | Historical Results |
|-------------------------------------|------------------|---------------|--------------|--------------------|
| Rodentibacter heylii                | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Rodentibacter heylii/pneumotropicus | 15 Jan 24        | 0/2           | qPCR         | 0/10               |
| Rodentibacter pneumotropicus        | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Salmonella spp                      | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Streptobacillus moniliformis        | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Streptococcus pneumoniae            | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Parasites                           | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Encephalitozoon cuniculi            | 15 Apr 24        | 0/2           | ELISA        | 0/12               |
| Ectoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Myobia/Radfordia                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Myocoptes musculus                  | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Endoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Aspiculuris tetraptera              | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Chilomastix spp                     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Entamoeba muris                     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Giardia muris                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Spironucleus muris                  | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Syphacia muris                      | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Syphacia obvelata                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Trichomonas muris                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

## Final Health Monitoring Report

| Facility                                 | Area              |               | Species      |                    |
|------------------------------------------|-------------------|---------------|--------------|--------------------|
| KOATECH                                  | B103 BALB/cAnNHsd |               | Mouse        |                    |
| Viruses                                  | Latest Test Date  | Latest Result | Test Methods | Historical Results |
| Ectromelia virus                         | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Hantaan                                  | 15 Jan 24         | 0/2           | Bead         | 0/4                |
| K virus                                  | 15 Jan 24         | 0/2           | ELISA        | 0/4                |
| Lactate dehydrogenase elevating virus    | 15 Jan 24         | 0/2           | ELISA        | 0/4                |
| Lymphocytic choriomeningitis virus       | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Minute virus of mice                     | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Mouse adenovirus type 1 (MAd FL)         | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Mouse adenovirus type 2 (MAd K87)        | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Mouse cytomegalovirus                    | 15 Jan 24         | 0/2           | Bead         | 0/4                |
| Mouse hepatitis virus                    | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Mouse norovirus                          | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Mouse parvovirus                         | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Mouse polyoma virus                      | 15 Jan 24         | 0/2           | ELISA        | 0/4                |
| Mouse rotavirus (EDIM)                   | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Mouse thymic virus                       | 15 Jan 24         | 0/2           | IFA          | 0/4                |
| Pneumonia virus of mice                  | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Reovirus type 3 (Reo 3)                  | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Sendai Virus                             | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Theiler's murine encephalomyelitis virus | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Bacteria, Mycoplasma and Fungi           | Latest Test Date  | Latest Result | Test Methods | Historical Results |
| Beta-haemolytic Streptococci Group A     | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group B     | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group C     | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group G     | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Bordetella bronchiseptica                | 15 Jan 24         | 0/2           | qPCR         | 0/4                |
| CAR Bacillus                             | 15 Jan 24         | 0/2           | ELISA        | 0/4                |
| Citrobacter rodentium                    | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Clostridium piliforme                    | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Corynebacterium kutscheri                | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Dermatophytes                            | 15 Jan 24         | 0/2           | Culture      | 0/4                |
| Helicobacter bilis                       | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Helicobacter hepaticus                   | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Klebsiella oxytoca                       | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Klebsiella pneumoniae                    | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Mycoplasma pulmonis                      | 15 Apr 24         | 0/2           | Bead         | 0/12               |
| Pasteurella multocida                    | 15 Apr 24         | 0/2           | qPCR         | 0/12               |
| Pneumocystis murina                      | 15 Jan 24         | 0/2           | qPCR         | 0/4                |
| Pseudomonas aeruginosa                   | 15 Apr 24         | 0/2           | qPCR         | 0/12               |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

## Final Health Monitoring Report

| Bacteria, Mycoplasma and Fungi      | Latest Test Date | Latest Result | Test Methods | Historical Results |
|-------------------------------------|------------------|---------------|--------------|--------------------|
| Rodentibacter heylii                | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Rodentibacter heylii/pneumotropicus | 15 Jan 24        | 0/2           | qPCR         | 0/10               |
| Rodentibacter pneumotropicus        | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Salmonella spp                      | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Streptobacillus moniliformis        | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Streptococcus pneumoniae            | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Parasites                           | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Encephalitozoon cuniculi            | 15 Apr 24        | 0/2           | ELISA        | 0/12               |
| Ectoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Myobia/Radfordia                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Myocoptes musculus                  | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Endoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Aspiculuris tetraptera              | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Chilomastix spp                     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Entamoeba muris                     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Giardia muris                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Spironucleus muris                  | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Syphacia muris                      | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Syphacia obvelata                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Trichomonas muris                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

## Final Health Monitoring Report

| Facility                                 | Area             |               | Species      |                    |
|------------------------------------------|------------------|---------------|--------------|--------------------|
| KOATECH                                  | B105 DBA/2NHsd   |               | Mouse        |                    |
| Viruses                                  | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Ectromelia virus                         | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Hantaan                                  | 15 Jan 24        | 0/1           | Bead         | 0/2                |
| K virus                                  | 15 Jan 24        | 0/1           | ELISA        | 0/2                |
| Lactate dehydrogenase elevating virus    | 15 Jan 24        | 0/1           | ELISA        | 0/2                |
| Lymphocytic choriomeningitis virus       | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Minute virus of mice                     | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Mouse adenovirus type 1 (MAd FL)         | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Mouse adenovirus type 2 (MAd K87)        | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Mouse cytomegalovirus                    | 15 Jan 24        | 0/1           | Bead         | 0/2                |
| Mouse hepatitis virus                    | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Mouse norovirus                          | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Mouse parvovirus                         | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Mouse polyoma virus                      | 15 Jan 24        | 0/1           | ELISA        | 0/2                |
| Mouse rotavirus (EDIM)                   | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Mouse thymic virus                       | 15 Jan 24        | 0/1           | IFA          | 0/2                |
| Pneumonia virus of mice                  | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Reovirus type 3 (Reo 3)                  | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Sendai Virus                             | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Theiler's murine encephalomyelitis virus | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Bacteria, Mycoplasma and Fungi           | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Beta-haemolytic Streptococci Group A     | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Beta-haemolytic Streptococci Group B     | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Beta-haemolytic Streptococci Group C     | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Beta-haemolytic Streptococci Group G     | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Bordetella bronchiseptica                | 15 Jan 24        | 0/1           | qPCR         | 0/2                |
| CAR Bacillus                             | 15 Jan 24        | 0/1           | ELISA        | 0/2                |
| Citrobacter rodentium                    | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Clostridium piliforme                    | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Corynebacterium kutscheri                | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Dermatophytes                            | 15 Jan 24        | 0/1           | Culture      | 0/2                |
| Helicobacter bilis                       | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Helicobacter hepaticus                   | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Klebsiella oxytoca                       | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Klebsiella pneumoniae                    | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Mycoplasma pulmonis                      | 15 Apr 24        | 0/1           | Bead         | 0/6                |
| Pasteurella multocida                    | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Pneumocystis murina                      | 15 Jan 24        | 0/1           | qPCR         | 0/2                |
| Pseudomonas aeruginosa                   | 15 Apr 24        | 0/1           | qPCR         | 0/6                |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

## Final Health Monitoring Report

| Bacteria, Mycoplasma and Fungi      | Latest Test Date | Latest Result | Test Methods | Historical Results |
|-------------------------------------|------------------|---------------|--------------|--------------------|
| Rodentibacter heylii                | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Rodentibacter heylii/pneumotropicus | 15 Jan 24        | 0/1           | qPCR         | 0/5                |
| Rodentibacter pneumotropicus        | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Salmonella spp                      | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Streptobacillus moniliformis        | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Streptococcus pneumoniae            | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Parasites                           | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Encephalitozoon cuniculi            | 15 Apr 24        | 0/1           | ELISA        | 0/6                |
| Ectoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Myobia/Radfordia                    | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Myocoptes musculus                  | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Endoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Aspiculuris tetraptera              | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Chilomastix spp                     | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Entamoeba muris                     | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Giardia muris                       | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Spironucleus muris                  | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Syphacia muris                      | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Syphacia obvelata                   | 15 Apr 24        | 0/1           | qPCR         | 0/6                |
| Trichomonas muris                   | 15 Apr 24        | 0/1           | qPCR         | 0/6                |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

## Final Health Monitoring Report

| Facility                                 | Area             |               | Species      |                    |
|------------------------------------------|------------------|---------------|--------------|--------------------|
| KOATECH                                  | B106 CBA/JCrHsd  |               | Mouse        |                    |
| Viruses                                  | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Ectromelia virus                         | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Hantaan                                  | 15 Jan 24        | 0/2           | Bead         | 0/4                |
| K virus                                  | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Lactate dehydrogenase elevating virus    | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Lymphocytic choriomeningitis virus       | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Minute virus of mice                     | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse adenovirus type 1 (MAd FL)         | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse adenovirus type 2 (MAd K87)        | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse cytomegalovirus                    | 15 Jan 24        | 0/2           | Bead         | 0/4                |
| Mouse hepatitis virus                    | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse norovirus                          | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse parvovirus                         | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse polyoma virus                      | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Mouse rotavirus (EDIM)                   | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Mouse thymic virus                       | 15 Jan 24        | 0/2           | IFA          | 0/4                |
| Pneumonia virus of mice                  | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Reovirus type 3 (Reo 3)                  | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Sendai Virus                             | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Theiler's murine encephalomyelitis virus | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Bacteria, Mycoplasma and Fungi           | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Beta-haemolytic Streptococci Group A     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group B     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group C     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Beta-haemolytic Streptococci Group G     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Bordetella bronchiseptica                | 15 Jan 24        | 0/2           | qPCR         | 0/4                |
| CAR Bacillus                             | 15 Jan 24        | 0/2           | ELISA        | 0/4                |
| Citrobacter rodentium                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Clostridium piliforme                    | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Corynebacterium kutscheri                | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Dermatophytes                            | 15 Jan 24        | 0/2           | Culture      | 0/4                |
| Helicobacter bilis                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Helicobacter hepaticus                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Klebsiella oxytoca                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Klebsiella pneumoniae                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Mycoplasma pulmonis                      | 15 Apr 24        | 0/2           | Bead         | 0/12               |
| Pasteurella multocida                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Pneumocystis murina                      | 15 Jan 24        | 0/2           | qPCR         | 0/4                |
| Pseudomonas aeruginosa                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

## Final Health Monitoring Report

| Bacteria, Mycoplasma and Fungi      | Latest Test Date | Latest Result | Test Methods | Historical Results |
|-------------------------------------|------------------|---------------|--------------|--------------------|
| Rodentibacter heylii                | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Rodentibacter heylii/pneumotropicus | 15 Jan 24        | 0/2           | qPCR         | 0/10               |
| Rodentibacter pneumotropicus        | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Salmonella spp                      | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Streptobacillus moniliformis        | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Streptococcus pneumoniae            | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Parasites                           | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Encephalitozoon cuniculi            | 15 Apr 24        | 0/2           | ELISA        | 0/12               |
| Ectoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Myobia/Radfordia                    | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Myocoptes musculus                  | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Endoparasites                       | Latest Test Date | Latest Result | Test Methods | Historical Results |
| Aspiculuris tetraptera              | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Chilomastix spp                     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Entamoeba muris                     | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Giardia muris                       | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Spironucleus muris                  | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Syphacia muris                      | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Syphacia obvelata                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |
| Trichomonas muris                   | 15 Apr 24        | 0/2           | qPCR         | 0/12               |

Report Reference: 2024570

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone: +44(0)1530 225157 + Fax +44 (0) 1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)